

PHTHALIC ANHYDRIDE (PA)

Description

Goods name PHTHALIC ANHYDRIDE FLAKES, GRADE A; Quality Superior; Appearance White flakes and powder

Properties	Typical value
Mass fraction of Phthalic Anhydride ,%,no less	99.9
Temperature of crystallization, C, no less	130.9
Mass fraction of iron ,% no more	0.0002
Content of Phthalic acid	Absent
Mass fraction of maleic anhydride,%, no more	0.05
Mass fraction of ash, %, no more	0.002
Chromaticity of molten product , Hazen units, no more	
In output	15
Within guarantee period for powder & flakes	20
Within guarantee period for melt	Not normalized
Chromaticity of molten product after heating at 250°C for 90 min.,	
Hasen units, no more	
In output	40
Within guarantee period for powder & flakes	60
Within guarantee period for melt	

Packing and Storage

Store in a dry area away from sunlight, heat and flame. Keep packaging closed until use. Recommended to process within 6 months after delivery (unless otherwise specified).

Product Safety and Compliance

Detailed safety information is provided in the Safety Data Sheet (SDS). Compliance information is available upon request.

Disclaimer

This document contains typical information and is not to be construed as a specification. The user is responsible for validating suitability for the intended application.